

Molecular Model Development to Explain Clinical Efficacy of Herbal Compound

Dr. Ba Hoang, M.D., Ph.D., Oncologist, received his training in St.Petersburg, with medical specialties in oncology, immunology and pediatrics. He is clearly one of the best educated physicians I have known. Also, he has a clinical wisdom, which has become legendary, during his short stay in the U.S.

Dr. Ba has had success in treating lung, liver, breast and prostate cancer that far exceeds any reported in the scientific literature. I have talked with a number of patients to confirm some of his reports. Other patients included close friends, colleagues, and relatives of colleagues. In these cases, I have seen reversal of kidney carcinoma, advanced lung cancer, prostate cancer of long standing, and a patient with stage IV breast cancer with bone metastasis who was told by her oncologist that it was time to move to a hospice.

Dr. Ba had indicated to me in relation to my good friend with kidney carcinoma, that he felt confident he could help him. This is especially unusual because kidney carcinoma is usually treated by surgery and the belief is that it cannot be effectively treated by chemotherapy. In 45 days he is free of cancer, confirmed by PET scan, and by an experimental cancer antigen reading. In considering an advanced lung cancer patient, he told my employee. Within some 4 to 6 weeks, the patient appears to be fully recovered, except for a small trace that showed up on an x-ray.

The percentage of patients responding to Dr. Ba's rather simple approach is staggeringly high. Dr. Ba has apparently found some underlying principal which may help us to better understand these serious diseases and effectively treat them. A sample number of case histories are attached. Case histories and laboratory data will be made available.

There are some interesting points, which arise from Dr. Ba's clinical work.

The obvious clinical response to his formulations indicates that these preparations have very potent anti-cancer activity without traditional cytotoxic effects, and they also have remarkably fast-acting anti-pain activity without morphine and related analgesics. The pain relief effects occur within days. The preparations are not damaging in any way, are not addictive, nor are they particularly expensive. Dr. Ba believes these agents include membrane-calming and mitochondrial supportive. See attached reference sheet.

By: Stephen A. Levine, PhD

President Allergy Research Group (USA)

Selected Pear-Reviewed Publications by our Doctors:

- Hoang, B. X., Shaw, D. G., Levine, S. A., Hoang, C., and Pham, P. New approach in asthma treatment using excitatory modulator (2007) *Phytotherapy Research* (Feb 13; [Epub ahead of print])
- Hoang, B. X., Shaw, D. G., Pham, P., and Levine, S. A. Restoration of cellular energetic balance with L-Carnitine in neuro-bioenergetic approach for cancer prevention and treatment (2007) *Med Hypotheses* (in press)
- Hoang, B. X., Shaw, D. G., Pham, P., and Levine, S. A. Neurobiological effects of melatonin as related to cancer (2007) *European Journal of Cancer Prevention* (in press)
- Hoang, B. X., Graeme Shaw, D., Pham, P., and Levine, S. A. Neuro-bioenergetic concepts in cancer prevention and treatment (2007) *Med Hypotheses*. 68, 832-843
- Hoang, B. X., Levin, S. A., Pham, P., and Shaw, D. G. Hypothesis of the cause and development of neoplasms (2007) *European Journal of Cancer Prevention*, 16, 55-61
- Hoang, B. X., Levine, S. A., Graeme Shaw, D., Pham, P., and Hoang, C. Bronchial epilepsy or broncho-pulmonary hyper-excitability as a model of asthma pathogenesis (2006) *Med Hypotheses* 67, 1042-1051.
- Hoang, B., Shaw, D. G. Refractory idiopathic thrombocytopenic purpura: An integrated approach to treatment (2003) *J. Orthomol. Med.* 18, 77-82

CASE STUDIES

In the following case studies, the majority of patients were treated with an herbal compounds

CASE NO. 1

84 y/o female with a long history of hypertension, chronic pancreatitis, renal failure, anemia, hypothyroidism, osteoarthritis and malabsorption. Patient had basal cell carcinoma diagnosed two years prior but had either refused therapy or had elective surgery canceled. On initial exam there was a deep ulcerative 10x15mm tumor on the lateral border of her nose with a dark necrotic base. Patient was unable to tolerate surgery and was treated with a combination of herbs including Fitocan SP and Lymphasol. After a two-month course the patient was reexamined and found to have a vascular hyperemic 1x1.5 cm area of tissue with flat borders where the tumor had been. After four months the same location had an 8x12mm area of hyperemic scar tissue.

CASE NO.2

53 y/o female diagnosed with well-differentiated adenocarcinoma/ bronchioloalveolar carcinoma surgically removed with a partial right pneumonectomy in 2001. In 2003 she developed recurrent metastatic lung cancer in both lungs. Needle biopsy of one of these lesions was positive for the same histology. Because of the diffuse disease, she was not a candidate for additional surgery. She started a course of IV chemotherapy (Carboplatin). As adjunctive therapy to her chemotherapy, she was supplemented with an herbal combination containing Fitocan SP and Lymphasol. She noted marked improvement in moods, energy, breathing and exercise tolerance. Irritability, headaches and twitching of her legs all resolved dramatically after initiation of the herbal compound. X-rays/CT scans of the lungs showed a progressive improvement in her tumor size. After eight months of treatment she had an 80% reduction in tumor mass and had a small residual tumor in her left lung.

CASE NO. 3

72 y/o male diagnosed with colorectal adenocarcinoma. Patient underwent 28 treatments of radiotherapy and a one-month course of IV 5-fluorouracil. At that time he still had a detectable tumor mass but no evidence of metastasis. The patient refused the recommended surgery and underwent therapy with herbal compounds Fumacell, Fitocan SP and Lymphasol. Prior to starting this therapy the patient complained of constant fatigue, insomnia, 10 kg weight loss and diarrhea up to 20 times per day. After an eight-month course of herbal therapy he was re-examined by his oncologist. There was no evidence of mass, inflammation or lymphadenopathy based on physical exam and CT scan of the abdomen. Complete blood counts revealed normal CBC, Chem. Panel and CEA Symptomatically the patient had normal bowel patterns, had gained 5 kg and had normal energy and sleep.

CASE NO. 4

A 47-year-old female was diagnosed with hepatocellular carcinoma, Hepatitis B and cirrhosis. An ultrasound showed an 8x12cm mass in the right lobe of the liver. The Alpha fetoprotein (AFP) level was 96ng/ml (normal up to 10ng/ml). A CT-guided biopsy was performed confirming the diagnosis of hepatocellular carcinoma and cirrhosis. The patient lost 10kgs of weight in three months. She was then given Fitocan SP and Lymphasol. After two (2) months, the CT scan showed more than a 60% decrease in the size of the tumor. The AFP level dropped from 96ng/ml to 36ng/ml. The patient also regained 5kgs. Two months later, the CT-scan showed the decrease of the tumor size to 1x2cm. Her AFP level dropped to 11ng/ml. The patient experienced a dramatic improvement in her appetite, energy level, plus no negative side effects with the herbal compound.

CASE NO. 5

A 65-year-old female with diagnosis of confirmed invasive adenocarcinoma of the pancreas-- Stage IV with liver and lymphatic node metastasis. The patient was given Fitocan SP and Lymphasol. In 12 days, the patient noticed a significant reduction in the size of the tumor.

Her leg edema and pains disappeared in 17 days. In 2 months after starting the herbal compound, the ultrasound showed a decrease of pancreatic mass from 4x6cm to 2x2cm with no sign of liver metastasis. Her liver had returned to normal size. In six months after starting herbal supplements, the ultrasound showed no sign of pancreatic cancer.

CASE NO. 6

72-year-old patient with Stage IV ovarian cancer diagnosed by CT scan, ultrasound and pathologic examination with numerous 2-3cm peritoneal metastases. Her ovarian tumor measured 8x9cm and her CA125 was 2,702 units/ml (normal up to 35 units/ml). After two (2) months of treatment with Fitocan SP, Healthy Prostate & Ovary and Lymphasol, her CA125 level was 1038. A CT-scan revealed a reduction of tumor sizes by more than 50%. In five (5) months after starting herbal supplements, the ultrasound and CT-scan showed no signs of peritoneal metastasis and only a 2cm-3cm ovarian mass. Her CA125 level was down to 42 units/ml. The patient regained 8kgs and has experienced improvements in energy and overall health. No side effects were noticed with the herbal therapy.

CASE NO. 7

A 59-year-old man has been diagnosed with metastasis prostate cancer. The PSA (his first) was found to be 196ng/ml. The bone scan showed diffuse bone metastases. A prostate biopsy showed Gleason 9/10 adenocarcinoma in two out of six cores. His alkaline phosphatase was 1962 IU/L. He has experienced significant bone pains. In 10 days after starting Fitocan SP, Lymphasol and Healthy Prostate&Ovary, his bone pains and urination drastically improved, despite a PSA increase to 278ng/ml. In two (2) months after starting his therapy, his PSA dropped transiently to 19ng/ml. He remained asymptomatic from his prostate cancer and bone pains. After four (4) months of therapy, the patients PSA dropped to 5.7ng/ml. The CT-scan revealed no sign of bone metastasis and Alkaline Phosphatase level was 308 IU/L. The patient remained symptom-free. His check-up at eight (8) months from the start of therapy

showed that he had a completely cancer-free condition, and had experienced no side effects. His PSA was 0.9ng/L and alkaline phosphatase was 106 IU/L.

Lung cancer case:

This testimony is on behalf of my wife, Patricia. In the summer of 2002 she was diagnosed with stage 3B lung cancer, called adenocarcinoma. It was inoperable and had spread from the lung to the lymph glands located at the center of the chest. The prognosis was terminal if without treatment. An aggressive therapy of chemotherapy and radiation ensued to some effect. However, in the summer of 2003, after six months of 'remission' she was stricken with pneumonia. She was then admitted to the hospital through emergency and was diagnosed with a lymphatic spread, a wide spread metastasis to the lymphatic system which has a fog like appearance on the x-rays. Her condition was horrid, unable to breathe without assistance, hopped up on huge amounts of steroids to help her breathe and was increasingly coughing up blood and pieces of lung. At 15 liters O2 per minute assistance she was on the verge of intubation which we were to refuse as part of the DNR order. Her prognosis with grim and was given days and hours to live. The doctors were recommending hospice and palliative care for the duration of her term and were even hinting at a thinly disguised euthanization.

On the third day of hospitalization I was presented with an alternative treatment which I knew absolutely nothing about and immediately rejected. I've never known of an 11th hour miracle that worked with any of my family members who I've lost in just this way. Strangely, it was the knowledge of Karmic retribution and the point made about these herbs not having any contraindications that made me reconsider the treatment later on that day. I then found it (Karmically) astounding that the clinic's address was in fact a bit over a mile from the hospital. Equally astounding was the calm confidence and understanding the Dr. Ba had with my situation and the cost of the four bottles of pills and teas presented to me. These pills included Fitocan SP, VascoSaponins, Agrimony and Coix. Our HMO paid out better than 200k in cancer therapy to no avail, and here I was presented with these over the counter pills and teas merely for the cost of good vitamins.

The treatment was applied with both scary and remarkable results, all without this doctor ever seeing my wife. Over the next few days her body went into detox, several near organ failures and recovery and a blood transfusion. In that time her O2 dependance was then reduced to 10 lit/min. Every crisis was met with a recovery, I believe due to the Dr Ba treatments. The only contribution the hospital made were antibiotics, steroids for breathing, oxygen, a blood transfusion and breathing therapy. After 15 days she was actually released from ICU and came home with her O2 requirement lowered to 5 lit/min and now she wasn't coughing up any amount of blood worth mentioning. Nobody said anything about the terminal cancer that just days before showed up like a deadly fog on the x-rays. That's not to say she was in great condition when she came home, she still needed O2 and her musculature had atrophied. After 3 months of additional herbal treatments mainly for her lungs, my wife got off the O2 and was walking about a mile 4 to 5 times a week. The treatments have evolved over the course of the following year, more to help the lungs as well as to hold the cancer in check. I find the lung repair aspect of this perhaps more amazing than the cancer suppression. She went from a prognosis of long term O2 dependence with extensive lung damage resembling emphysema to now not needing O2 at all along with hard to find if nonexistent evidence of the cancer.

We continue Dr Ba treatments a year after ICU in fact with good results. Examination of fluid drainage from pleural and pericardial effusions reveal no obvious cancer activity. X-ray and sonogram examination reveal no evidence of previous lung tumors. Personally I doubt any cancer will be found and I come to realize that these remarkable herbal treatments seem to do more about cancer suppression than eradication. Suppression seems to be more of an Eastern concept as eradication is a Western one. There seems to be more after effects of the chemo and radiation therapy than anything else. I now believe that chemo and radiation will invariably lead to long term and unnecessary complications such as fluid buildup. The HMO doctors claim this fluid buildup is due to 'the cancer'; all other doctors and practitioners including Dr Ba say the fluid can be caused by damage from aggressive chemo and radiation therapy. Who's right? It's really a no-brainer. My wife went from coughing up cancer

fragments and blood with two days to live to the thriving smiling beauty she is today, with the last 11 months of 12 only on Dr Ba products. Thank you.

Donato M. Serame Jr.

H. (408) 942-1547

C. (408) 828-6420

DMSerame@aol.com

A full story of liver cancer:

This is the true story of my battle with this deathly disease from the very beginning to my current state of health.

I am a 64 year old. I was first diagnosed with viral hepatitis C in 1982 when my primary care physician found elevated liver enzymes during a routine physical. Viral hepatitis is very common in Southeast Asia and, most likely, I contracted the disease from the multiple vitamin shots I received during my childhood in Vietnam. This was a common practice because it was believed to boost one's immune system. The needles were reused and I am sure that the sterilization process in Vietnam in the 1950's and 1960's was very poor.

I was constantly tired, and had generalized body aches, which made it almost impossible to continue with my job and daily routine. I had multiple liver biopsies during this time period, which showed that I had already developed mild liver cirrhosis. In June, 2000 when a screening ultrasound showed a 3cm 4cm mass in the right lobe of my liver. Subsequent laboratory tests and x-ray studies showed that this lesion was not a hemangioma (a benign liver lesion) and my alpha-feto protein (AFP) level was 109 (normal range: 0 - 7). AFP is a protein that can be produced by liver cancer. This together with the fact that I had hepatitis C with liver cirrhosis made this lesion very worrisome for liver cancer.

The lesion remained relatively stable until Feb. of 2002 when we discovered it had rapidly grown from 4 cm to greater than 15 cm. The mass, encompassing 80% of my right lobe, was now compressing and growing into my portal vein and it was also discovered that multiple lesions had spread to both sides of my lungs.

A CT-guided biopsy performed at this time confirmed a diagnosis hepatocellular carcinoma. This late diagnosis was very unfortunate because with that tumor size and spread to my lungs, there were no curative treatment options, only possibly palliative chemotherapy. Physically, from October 2001 to March 2002, I had lost over 10 lbs (132 lbs to 120 lbs), experienced a major decrease in my appetite, and I hardly had any energy (I took 6 to 8 naps every day and was exhausted if I walked only half a block). By this time my AFP level had jumped to over 220.

This was devastating news for me and my family. This was especially demoralizing because of the realization that we had discovered this lesion one and a half years ago, when it was small enough for definitive treatment. Because of the stage of disease and the rapidity if its progressed, I was officially given less then 3 months to live.

I had just retired a few months earlier and was looking forward to having many very active golden years. Mentally, I was not ready to give in to the disease and felt that I had to fight the disease with all of my heart and soul!

We came across a mountain of information, which took a while to truly synthesize and digest. There were a few things that became very clear:

1. Hepatocellular carcinoma carries a very grim prognosis.
2. Non-surgical interventions generally do not work - especially chemotherapy!
3. Surgical resection does improve survival, but has a very high recurrence rate.

4. Transplantation is the only hope for long term cure. However, the number of people needing transplantation far exceeds the number of available organs, and life long immunosuppressive therapy carries its' own list of problems.

5. There is a lot of promising scientific data for the use of natural/herbal remedies and vitamins in the battle against cancer.

By reference from a friend, I took a natural herbal recipe invented by Doctor Ba Hoang in San Jose. At the beginning of March 2002, I began drinking a composition twice a day. Since this was a novel product, I had no way of knowing if it would do anything for the tumor. However, because the composition consisted of all natural, good products and I had literally nothing to lose, I decided that at least this attempt will make me feel better. I figured that at the very least, this composition would help my overall nutritional status.

In just one week of consuming this composition, I began to feel some improvement in appetite and overall strength. My AFP level had dropped from 224 to 20. I had regained 8 lbs and had my energy level back, enough to be able to do yard work again.

From May to the last one in November, the primary liver tumor decreased in size to less than 4 cm while all of the lung metastatic lesions disappeared except for one. My AFP level dropped to within normal limits and has remained there. Additionally, my liver enzymes dropped to within normal limits, for first time since I was first diagnosed with hepatitis in 1982. The results were so dramatic that the oncologist rechecked the biopsy results to make sure that we had not made a mistake the diagnosis of hepatoma was re-confirmed.